

Your name

Date and time

River/stream survey location

Survey location (GPS or 10 digit NGR)

Watercourse code (optional)

Watercourse name

Source of watercourse name (tick one)

Map data

Local knowledge

Personally assigned

Reach length (m)

Physical naturalness

Naturalness class (circle one)

1 2 3 4 5

Confidence class (circle one)

High Medium Low

Form(s) of assessment (tick all that apply)

Simple visual inspection

Modular River Survey (MoRPh)

River Habitat Survey (RHS)

Other (please specify)

Hydrological naturalness

Naturalness class (circle one)

1 2 3 4 5

Confidence class (circle one)

High Medium Low

Form(s) of assessment (tick all that apply)

Simple visual inspection

Water Framework Directive data

EA abstraction information

Other (please specify)

Chemical naturalness

Naturalness class (circle one)

1 2 3 4 5

Confidence class (circle one)

High Medium Low

Form(s) of assessment (tick all that apply)

Simple visual inspection

Water Framework Directive data

Test kit

Other (please specify)

Bankside biological sampling

Biological naturalness

Naturalness class (circle one)

1 2 3 4 5

Confidence class (circle one)

High Medium Low

Form(s) of assessment (tick all that apply)

Simple visual inspection

Other recording initiative (please specify)

National Biodiversity Network data

Other (please specify)

Representativeness / intermittent flow

Is the site representative of the watercourse as defined by the map layer? (tick one)

Yes

No

Uncertain

Does the site have a section containing no water (i.e. a section with intermittent flow)?

Yes

No

Notes

Site description

Species of interest

Fish (tick all that apply)

- Bullhead (*Cottus gobio*)
- Brook lamprey (*Lampetra planerii*)
- Brown trout (*Salmo trutta*)
- Atlantic salmon (*Salmo salar*)

Birds (tick all that apply)

- Dipper (*Cinclus cinclus*)
- Kingfisher (*Alcedo atthis*)
- Grey wagtail (*Motacilla cinerea*)

Invertebrates (tick all that apply)

- Plectrocnemia sp (Caseless caddis-flies)
- Wormaldia sp (Caseless caddis-flies)
- Lype sp (Caseless caddis-flies)

Higher plants (tick all that apply)

- Water crowfoots (*Ranunculus* sp)
- Golden saxifrage (*Chrysosplenium* sp)

Bryophytes (tick all that apply)

- Fontinalis sp (Mosses)
- Fissidens sp (Mosses)
- Pellia sp (Thallose liverworts)

Habitat features (tick all that apply)

- | | |
|--|--|
| <input type="checkbox"/> Bankside/riparian flushes or springs | <input type="checkbox"/> Sinuous or multiple channel |
| <input type="checkbox"/> Riparian trees interacting with the channel | <input type="checkbox"/> Riparian wetland |
| <input type="checkbox"/> Woody material in-channel | <input type="checkbox"/> Exposed cobble/gravel/sand |
| <input type="checkbox"/> Waterfall or cascade | <input type="checkbox"/> Moss-covered boulders |
| <input type="checkbox"/> Natural mire-stream transition | <input type="checkbox"/> Fern-filled ghyll/ravine |